


HAND PROTECTION



ANSI/ISEA 105 - 2024 American National Standard for Hand Protection Selection Criteria


LABELING USAGE GUIDELINES

— Labeling

- Pictogram has pentagon with even angled sides
- Abrasion, cut, puncture ratings only
- Title of standard is centered over the pentagon
- For product and packaging, including the year 2024 in the standard title is optional
- For web sites, white papers, blog posts, technical sheets, specification sheets, etc. the year 2024 should be included in the standard title
- Symbol in the top center is the ANSI Cut rating (note, this rating is bigger)
- Symbol on the left is ANSI Abrasion
- Symbol on the right is ANSI Puncture
- An 'X' can be applied in place of a rating to indicate the classification was not tested or is not applicable
- Font should be a sans serif typeface. Examples include Montserrat or Open Sans

Please Note: When choosing a font, please consider commercial licensing requirements. Montserrat and Open Sans are licensed under the SIL Open Font License.

ANSI/ISEA 105




Badge Anatomy

Option 1: Date not included

- Cut Resistance
- Puncture Resistance
- Abrasion Resistance

ANSI/ISEA 105-2024




Option 2: Date included

- Cut Resistance
- Puncture Resistance
- Abrasion Resistance

— Sizing and Scale


- If symbols are placed beside other glove ratings, align the titles of the standards
- Align the top of ANSI badge to the top of the EN388 shield
- Align bottom of ANSI badge to bottom of EN388 ratings
- ANSI Cut rating typeface is one point larger than ANSI Abrasion & Puncture ratings.



— Identity Guidelines

- 1) Do not present the pictogram in an “outline only” version
- 2) Do not distort the pictogram in any way
- 3) Do not change the pictogram orientation
- 4) Do not remove 'ISEA' from the title above the badge¹
- 5) Do not adjust the size of the numbers within the badge
- 6) Do not change the placement of numbers within the badge
- 7) Do not use the pictogram on a background that does not provide enough contrast
- 8) Do not crop the pictogram in any way
- 9) Optional: Include date in title. All other guidelines still apply.

¹ [The ANSI® mark](#) (which is a registered trademark of the American National Standards Institute, Inc.) must not be used on the product, packaging, marketing materials, etc., in any way that implies that ANSI has manufactured, approved, certified, or otherwise endorsed a product, process or system.



— Graphic Files

The ANSI/ISEA 105 pictogram and symbols are available for customization as appropriate for identifying abrasion, cut, and puncture ratings.

 [Download the files here.](#)

ANSI/ISEA 105 - 2024 American National Standard for Hand Protection Selection Criteria

LABELING USAGE GUIDELINES



HAND PROTECTION

